





- V - MINIMUM DIAMETER LIMITED ONLY BY ROOT BALL ON NEW INSTALLATIONS, PROVIDED 'W' IS > 6 IN. (152MM)
- W - 6 IN. (152MM) MINIMUM IF STRATUM OF BED ROCK, HARD PAN OR WATER EXISTS
- X - 10 FT. (3M) RECOMMENDED OR CONTINUOUS IF PLANTINGS ARE < 20 FT. (6M) APART
- Y - LIMITED ONLY WITH RETROFIT INSTALLATION ROOT TRIMMING (TREE STABILITY)
- Z - AS FAR FROM ROOTBALL AS POSSIBLE



NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWINGS.
3. SEE PLANTING DETAILS FOR MORE INFORMATION.
4. REPORT ALL DISCREPANCIES TO CONSULTANT PRIOR TO INSTALLATION.
3. CONTRACTORS NOTE: FOR PRODUCT AND PURCHASING INFORMATION VISIT www.CADdetails.com/info REFERENCE NUMBER 360-001



ROOT CONTROL INSTALLATIONS

CYLINDRICAL APPLICATIONS